USSN: 10/789,72

AMENDMENT TO THE CLAIMS:

The following is a listing of claims in the subject application and is to replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (Currently amended) A method for inhibiting 5-lipoxygenase in a subject, comprising administering a compound of formula (I) or a pharmaceutically acceptable salt thereof to the subject in an amount effective for the inhibition of 5-lipoxygenase:

$$R^1$$
 R^2 (1)

wherein

X is CH or N;

Y is S or O;

 R^1 is H, OH, halogen, C_{1-6} alkyl, nitro, cyano, amino, di- C_{1-6} alkylamino, C_{1-6} alkoxy, C_{1-6} hydroxyalkyl or C_{1-6} alkylcarbonyl; and


R² is

(i)

$$-N < R^3$$

wherein R³ is H or C₁₋₆ alkyl;

 R^4 is



wherein R^5 , R^6 , R^7 , R^8 and R^9 are independently H, OH, halogen, C_{1-6} alkyl, C_{1-6} haloalkyl, nitro, cyano, amino, di- C_{1-6} alkylamino, mercapto, C_{1-6} mercaptoalkyl, halogen-substituted C_{1-6} mercaptoalkyl, phenylazo, C_{1-6} alkylphenylazo, C_{1-6} alkylcarbonyl, C_{1-6} alkoxy or C_{1-6} hydroxyalkyl,

-3-


wherein R^5 , R^6 , R^7 , R^8 and R^9 are as defined in (i),

wherein R¹⁰ is H or C₁₋₆ alkyl,

(iv)

wherein R^{11} is H, C_{1-6} alkyl, halogen, mercapto or C_{1-6} mercaptoalkyl, or (v)

- 4 -



wherein R^{12} is H, OH, halogen, C_{1-6} alkyl, nitro, cyano, amino, di- C_{1-6} alkylamino, C_{1-6} alkylcarbonyl, C_{1-6} alkoxy or C_{1-6} hydroxyalkyl,

with the proviso that when R² is (ii) or (iv), Y is S.

- 2. (Currently amended) The method of claim 1, which is used for preventing or treating a leukotriene-related disease selected from the group consisting of: asthma, pertussis, psoriasis, rheumatic arthritis, arthritis, inflammatory bowel disease, cystic fibrosis, acute/chronic bronchitis, sepsis, cardiac myoischemia, cardiac anaphylaxis, ischemia and allergic rhinitis.
 - 3. (Original) The method of claim 2, wherein the disease is asthma.

4. (Previously presented) The method of claim 1, wherein R^2 is

- 5 -

$$R^5$$
 R^6

$$R^3N \longrightarrow R^7$$

$$R^9 \longrightarrow R^8$$

wherein

R³ is H or C₁₋₆ alkyl;

 R^5 , R^6 , R^7 , R^8 and R^9 are independently H, OH, halogen, C_{1-6} alkyl, C_{1-6} haloalkyl, nitro, cyano, amino, di- C_{1-6} alkylamino, mercapto, C_{1-6} mercaptoalkyl, halogen-substituted C_{1-6} mercaptoalkyl, phenylazo, C_{1-6} alkylphenylazo, C_{1-6} alkylcarbonyl, C_{1-6} alkoxy or C_{1-6} hydroxyalkyl.

5. (Original) The method of claim 4, wherein R^1 is H, halogen, C_{1-6} alkyl or nitro; and R^5 , R^6 , R^7 , R^8 and R^9 are independently H, halogen, C_{1-6} alkyl or phenylazo.

6. (Currently amended) The method of claim 1, wherein \underline{Y} is \underline{S} ; and \underline{R}^2

wherein

 R^5 , R^6 , R^7 , R^8 and R^9 are independently H, OH, halogen, C_{1-6} alkyl, C_{1-6} haloalkyl, nitro, cyano, amino, di- C_{1-6} alkylamino, mercapto, C_{1-6} mercaptoalkyl, halogen-substituted C_{1-6} mercaptoalkyl, phenylazo, C_{1-6} alkylphenylazo, C_{1-6} alkylcarbonyl, C_{1-6} alkoxy or C_{1-6} hydroxyalkyl;

R¹⁰ is H or C₁₋₆ alkyl;

 R^{11} is H, C_{1-6} alkyl, halogen, mercapto or C_{1-6} mercaptoalkyl; and

 $R^{12} \ \text{is H, OH, halogen, $C_{1\text{-}6}$ alkyl, nitro, cyano, amino, di-$C_{1\text{-}6}$}$ alkylamino, \$C_{1\text{-}6}\$ alkylcarbonyl, \$C_{1\text{-}6}\$ alkoxy or \$C_{1\text{-}6}\$ hydroxyalkyl.}

7. (Currently amended) The method of claim 6 $\underline{1}$, wherein \underline{Y} is \underline{S} ; R^1 is H or C_{1-6} alkyl; and R^2 is

$$\begin{array}{c|c}
R^5 & R^6 \\
\hline
R^7 & R^8 \\
R^8 & R^8
\end{array}$$

$$\mathbb{R}^{11}$$

wherein R^5 , R^6 , R^7 , R^8 and R^9 are independently H, OH, halogen, C_{1-6} alkyl, C_{1-6} haloalkyl, nitro, cyano, amino, di- C_{1-6} alkylamino, mercapto, C_{1-6} mercaptoalkyl, halogen-substituted C_{1-6} mercaptoalkyl or C_{1-6} alkoxy;

 $\ensuremath{\mathsf{R}}^{11}$ is H, $C_{\text{1-6}}$ alkyl, halogen, mercapto or $C_{\text{1-6}}$ mercaptoalkyl; and

R¹² is H, halogen or C₁₋₆ alkyl.

8-9. (canceled)

10. (Previously presented) The method of claim 1, wherein the compound of formula (I) is

$$CI$$
 C_2H_6